

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	"5605040"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 11:06
L2	2	1 and capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 11:08
L3	6	("5167120" "5291673").PN. OR ("5605040").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/20 11:08
L4	1	3 and capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 11:09
L5	19004	oxygen sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 11:11
L6	606	5 and capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 11:12
L7	82	5 and capacitance near2 sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 11:29
L8	7	7 and capacitance with range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 11:21

L9	2	5 and capacitance near2 oxygen sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 11:14
L10	32	7 and capacitance near2 measur\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 11:22
L11	74	5 and capacitance near2 measur\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 11:29
L12	42	11 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 11:29

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1409	oxygen sensor and (capacitance or capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 09:54
L2	728	1 and heat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:15
L3	458	2 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 09:54
L4	59	3 and shell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:03
L5	198	3 and engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:03
L6	103	5 and capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:31
L7	30	5 and capacitance with measur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:08
L8	35	1 and capacitance with measur\$4 with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:35

L9	17	8 and heat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:23
L10	14	8 and vehicle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:28
L11	12	9 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:28
L12	17	"6200443"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:42
L13	5	12 and capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:32
L14	5	13 and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:32
L15	537	vehicle and capacitance with measur\$4 with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:35
L16	3	vehicle and capacitance with measur\$4 with oxygen sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:39

L17	12	vehicle and capacitance with oxygen sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/20 10:39
-----	----	--	---	------	----	------------------